

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

1FW\$  
OFFICIAL



**SILVERBROOK RESEARCH Pty Ltd**

393 Darling Street Balmain NSW 2041 Australia

PO Box 207 Balmain NSW 2041 Australia

Phone: +61 2 9818 6633 Fax: + 61 2 9818 6711

Email: info@silverbrook.com.au

ACN 066 573 671

**FACSIMILE MESSAGE**

**RECEIVED  
CENTRAL FAX CENTER**

**MAY 21 2004**

Date May 21, 2004

To: Receptionist Group Unit 3748

Fax No.: 1 703 872 9302

Subject: United States Application No. 10/666,269  
Inventor/Assignor: Kia Silverbrook  
Assignee: SILVERBROOK RESEARCH PTY LTD

Our Ref: ZF178US

Total Number of Pages (including this): 8

Attached is a response to an Office Action from Examiner, Hoang M. Nguyen dated March 23, 2004

Regards

Kia Silverbrook

This facsimile contains information that is privileged and confidential, and is intended only for the use of the individual or entity named above. If you have received this facsimile in error, or if the transmission is not complete, please notify us immediately by telephone or facsimile.

## In the United States Patent and Trademark Office

RECEIVED  
CENTRAL FAX CENTER

MAY 21 2004

OFFICIAL

Serial Number: 10/666,269  
Application. Filed: September 22, 2003  
Applicant: Kia Silverbrook  
Application. Title: AN INTEGRATED CIRCUIT FLUID EJECTION DEVICE  
Examiner/GAU: Hoang M. Nguyen/3748

Dated May 19, 2004  
At: Balmain, NSW  
Docket No. ZF178US

## REPLY

Commissioner for Patents  
Washington, District of Columbia 20231

Dear Sir:

In response to the Office Action of March 23, 2004, please amend the above-identified application as follows:

Remarks/Arguments begin on page 2 of this paper.